



502 – 535 Thurlow Street  
 Vancouver, B.C. Canada V6E 3L2  
 Tel: 604-681-4653  
 Fax: 604-568-4902

Monday, January 28, 2013

**Global Hunter Announces Trench Results for La Corona de Cobre Project, Chile**

Vancouver, British Columbia – Global Hunter Corp. (TSX.V: BOB) (“Global Hunter” or the “Company”) is pleased to announce positive results of its recently completed mapping and trenching program at its La Corona de Cobre project. Global Hunter has identified 14 prospective structures/zones including two large alteration zones in addition to Las Posadas, where Global Hunter had previously identified a National Resource 43-101 compliant copper resource (Preliminary Economic Assessment reported in news release dated September 18, 2012).

These encouraging results confirm the positive expectations from the surface sampling program carried out on the property in 2011 (News releases dated May 2 and 3, 2011) where a total of 205 rock chip samples were collected from nine shear zones on the property.

“We view these as high priority drill targets and will be aiming at expanding the known copper resource on the property. We are very encouraged by the trench results given the profile of the mineralization of on the property, where typically the top three to five metres have most of the copper leached out” stated Mike Hibbitts, VP Exploration & Development of Global Hunter Corp.

A total of 31 trenches were excavated along four of the most promising shear zones.

**Ponderosa**

Four trenches were excavated along 914 metres of strike length of the Ponderosa shear located 1,500 metres south of Las Posadas. The trenches were follow-up to the 18 surface samples collected along 1,000 meters of the shear from piquinero workings which averaged 1.85% CuT and 1.44% CuS.

The following table details results:

Trench	From	To	Length	CuT (%)	CuS (%)	Distance from Previous (m)
<b>LP4</b>	<b>4.00</b>	<b>15.00</b>	<b>11.00</b>	<b>0.408</b>	<b>0.281</b>	0
LP4	incl 9.00	15.00	6.00	0.694	0.491	
<b>LP3</b>	<b>23.00</b>	<b>42.00</b>	<b>19.00</b>	<b>0.179</b>	<b>0.115</b>	199
LP3	incl 35.00	42.00	7.00	0.342	0.239	
LP2	6.00	9.00	3.00	0.260	0.170	369
LP1	11.00	12.00	1.00	0.457	0.354	346

## Vino Fino

Eleven trenches were excavated along 1,316 metres of strike length of the Vino Fino shear located 5,000 metres east of Las Posadas. The trenches were follow-up to the 43 surface samples collected along 5,600 meters of the shear from piquinero workings which averaged 1.20% CuT and 0.97% CuS.

The following table details the trench results:

Trench	From	To	Length	CuT (%)	CuS (%)	Distance from Previous (m)
VF1	No significant results					
VF2	28.00	32.00	4.00	0.271	0.206	113
VF3	3.00	6.00	3.00	0.235	0.119	411
VF3	and	11.00	15.00	4.00	0.280	0.144
VF3	and	22.00	23.00	1.00	0.112	0.059
VF4A	12.00	17.00	5.00	0.374	0.286	148
VF5	19.00	20.00	1.00	0.173	0.055	187
VF5	and	31.00	32.00	1.00	0.183	0.156
VF6	8.00	9.00	1.00	0.122	0.083	312
VF6	and	18.00	22.00	4.00	0.110	0.023
VF6	and	28.00	30.00	2.00	0.164	0.113
VF6	and	48.00	57.00	9.00	0.271	0.164
<b>VF8</b>	<b>36.00</b>	<b>71.00</b>	<b>35.00</b>	<b>0.251</b>	<b>0.132</b>	207
VF8	incl	53.00	66.00	13.00	0.450	0.299
<b>VF10</b>	<b>1.00</b>	<b>29.00</b>	<b>28.00</b>	<b>0.376</b>	<b>0.158</b>	463
VF10	incl	17.00	23.00	6.00	0.780	0.421
<b>VF13A</b>	<b>0.00</b>	<b>21.00</b>	<b>21.00</b>	<b>0.425</b>	<b>0.239</b>	1,115
VF13A	incl	0.00	9.00	9.00	0.770	0.468
VF13A	and	13.00	21.00	8.00	0.273	0.127
VF14	No significant results					192
VF15	0.00	1.00	1.00	0.102	0.026	72
VF15	and	3.00	5.00	2.00	0.144	0.053
VF15	and	10.00	11.00	1.00	0.113	0.030
VF15	and	15.00	17.00	2.00	0.280	0.156

### La Varilla

Three trenches were excavated along 1,316 metres of strike length of the La Varilla shear located 6,000 metres east of Las Posadas. The trenches were follow-up to the 10 surface samples collected along 1,600 meters of the shear from piquinero workings which averaged 1.27% CuT and 1.12% CuS.

The following table details results:

Trench	From	To	Length	CuT (%)	CuS (%)	Distance from Previous (m)
<b>LV1</b>	<b>8.00</b>	<b>26.00</b>	<b>18.00</b>	<b>0.469</b>	<b>0.221</b>	0
LV1	incl 8.00	16.00	8.00	0.631	0.304	
<b>LV2</b>	<b>21.00</b>	<b>8.00</b>	<b>29.00</b>	<b>0.240</b>	<b>0.180</b>	878
LV2	incl -4.00	8.00	12.00	0.442	0.342	
<b>LV3</b>	<b>9.00</b>	<b>36.00</b>	<b>27.00</b>	<b>0.260</b>	<b>0.183</b>	438
LV3	incl 10.00	21.00	11.00	0.334	0.240	
Lv3	and 26.00	36.00	10.00	0.324	0.238	

### Golondrina/Cerro Borracho

Eleven trenches were excavated along 3,873 metres of strike length of the Golondrina/Cerro Borracho shear located 14 kilometres east of Las Posadas. The trenches were follow-up to the 80 surface samples collected along 2,750 meters of the shear from piquinero workings which averaged 0.807% CuT and 0.541% CuS.

The following table details results:

Trench	From	To	Length	Au (g/t)	CuT (%)	CuS (%)	Fe (%)	Distance from Previous (m)
<b>LG7</b>	<b>4.00</b>	<b>14.00</b>	<b>10.00</b>		<b>0.237</b>	<b>0.167</b>		0
<b>LG7</b>	<b>25.00</b>	<b>34.00</b>	<b>9.00</b>		<b>0.416</b>	<b>0.282</b>		
LG7	incl 32.00	34.00	2.00		1.331	0.939		
LG6A	0.00	4.00	4.00		0.719	0.462		<b>1,404</b>
<b>LG5</b>	<b>1.00</b>	<b>53.00</b>	<b>52.00</b>	<b>0.020</b>	<b>0.440</b>	<b>0.296</b>		<b>1,075</b>
LG5	incl 1.00	23.00	22.00	0.026	0.415	0.274		
LG5	and 30.00	48.00	18.00	0.027	0.707	0.495		
LG5	incl 43.00	47.00	4.00	0.033	1.521	1.065		
<b>LG4</b>	<b>0.00</b>	<b>47.00</b>	<b>47.00</b>		<b>0.230</b>	<b>0.043</b>		<b>693</b>
LG4	incl 17.00	22.00	5.00	0.082	0.648	0.133		
LG3A	21.00	28.00	7.00		0.115	0.029		<b>138</b>
<b>LG3B</b>	<b>0.00</b>	<b>13.00</b>	<b>13.00</b>	<b>0.025</b>	<b>0.526</b>	<b>0.354</b>		<b>41</b>
LG3B	incl 0.00	5.00	5.00	0.053	1.037	0.715		
<b>LG2</b>	<b>7.00</b>	<b>32.00</b>	<b>25.00</b>		<b>0.245</b>	<b>0.074</b>		<b>79</b>
LG2	incl 15.00	21.00	6.00		0.403	0.180	>10	
<b>LG1</b>	<b>0.00</b>	<b>31.00</b>	<b>31.00</b>		<b>0.220</b>	<b>0.065</b>		<b>133</b>

The following table details results:

LG1	incl	25.00	29.00	4.00	0.059	0.420	0.134	>10	
<b>CB1</b>		<b>1.00</b>	<b>22.00</b>	<b>21.00</b>		<b>0.213</b>	<b>0.067</b>		<b>87</b>
CB1	incl	3.00	9.00	6.00	0.067	0.193	0.045	>10	
CB1		10.00	14.00	4.00		0.496	0.198		
<b>CB2</b>		<b>0.00</b>	<b>17.00</b>	<b>17.00</b>		<b>0.193</b>	<b>0.067</b>		<b>92</b>
CB2	incl	10.00	17.00	7.00	0.073	0.213	0.080	>10	
<b>CB3</b>		<b>0.00</b>	<b>18.00</b>	<b>18.00</b>	<b>0.059</b>	<b>0.218</b>	<b>0.062</b>	<b>&gt;10</b>	<b>130</b>

The geological and technical information contained in this news release has been reviewed and approved by Mike Hibbitts, P.Geo., who is a qualified person under the definitions established by National Instrument 43-101.

**On Behalf of the Board of Directors**  
**GLOBAL HUNTER CORP.**

**Signed "Rudy Brauer"**

Rudy Brauer,  
 President and CEO, Global Hunter Corp.

**Contact:**

**Investor Relations: (604) 681-4653 or 1-866-282-8398**

**Email:  info@globalhunter.ca or visit our website: www.globalhunter.ca**

*Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.*

*Certain statements contained herein may constitute forward-looking statements and are made pursuant to the "safe harbor" provisions of the United States Private Securities Litigation Reform Act of 1995 and Canadian securities laws. Forward-looking statements are statements that relate to future events. Such statements include estimates, forecasts and statements as to management's expectations with respect to, among other things, business and financial prospects, financial multiples and accretion estimates, future trends, plans, strategies, objectives and expectations, including with respect to production, exploration drilling, reserves and resources, exploitation activities and events or future operations. Information inferred from the interpretation of drilling results and information concerning mineral resource estimates may also be deemed to be forward-looking statements, as it constitutes a prediction of what might be found to be present when, and if, a project is actually developed.*

*In some cases, you can identify forward-looking statements by terminology such as "may", "should", "expects", "plans", "anticipates", "believes", "estimates", "predicts", "potential", or "continue" or the negative of these terms or other comparable terminology. These statements are only predictions and involve known and unknown risks, uncertainties and other factors that may cause our or our industry's actual results, level of activity, performance or achievements to be materially different from any future*

*results, levels of activity, performance, or achievements expressed or implied by these forward-looking statements.*

*While these forward-looking statements, and any assumptions upon which they are based, are made in good faith and reflect our current judgment regarding the direction of our business, actual results will almost always vary, sometimes materially, from any estimates, predictions, projections, assumptions or other future performance suggestions herein. Except as required by applicable law, the Company does not intend to update any forward-looking statements to conform these statements to actual results.*